

### Valve Unit TV 784

# For installation together with TYFON® and SUPERTYFON® Whistles



#### General Information

One of the most important parts assembled to a whistle is the valve. The new Valve Unit TV 784 designed for this purpose provides the following:

- Good air flow section with low electric power consumption.
- Electric heating provided by a 25W element with ther-mostat.
- Exchangeable flange choke for different pressures.
- Two solenoid coils for normal and emergency operation.
- · Lanyard for stand-by operation.

#### **Technical Data**

Protection class: IP 65

Mains operation: 230V AC, 50/60 Hz, 8/15W\*

Emergency operation: 24V DC 8/15W

Heating: 230V AC 25W\*

Working pressure: 0,3 - 3,0 MPa\*

(different chokes)

Air consumption: 8 - 100 I/s

(for different whistle types)

Dimensions: Box, 170 x 135 x 145 (L x D x H)


Weight: 3,6 kg

\*Other voltage and air pressure on request.

Note: To avoid functional trouble, blow the pipe line


thoroughly clean before connecting to valve.

## Wiring Diagram, Spare Parts and Dimensions



Spare Parts			
No.	Name	Material	Ref. no.
1	Heating complete incl.		
	element and thermostat 230V AC 25W		4510041
2 1	115V AC 25W		4510041
	24V DC 25W		4510045
2	Pilot valve compl. 24V DC		2451006
3	Pilot valve compl. 115V AC		
*	Pilot valve compl. 230V AC		2451006
*4	O-ring	Rubber	2086206
*5	Piston compl. incl. spring	Brass	3988014
0	O-ring	Rubber	3769000
0	Spring Press pin	Stainl, steel Brass	2088100
*5 6 7 8 9	Screw MC6S 6 x 20	Stainl, steel	20801113
10	Spring compl.	Stainl, steel	2451004
11	Screw M6S 8 x 25	Stainl, steel	32621156
12	O-ring	Rubber	2086206
13	Screw MC5S 6 x 20	Stainl, steel	32621163
14	O-ring	Rubber	3769001
15	Choke Flange**	Brass	2176820
16	Packing 62 x 62 x 1mm Valve box for TV 784 compl.	Rubber comp. Plastic	2176503

Spare parts can be obtained from Kockum Sonics or their agents. When ordering, please, give voltage and working pressure, reference number and part name.



\*Spare parts recommended to be kept on board.

\*\* When ordering, please state what working pressure and which type of whistle to be used.